



KEM PLUG

Leak plugging compound

DESCRIPTION: Kem plug is a specially formulated instant leak plugging compound. Its rapid setting property helps on plugging the leakage instantly.

PRODUCT SPECIFICATION / COMPLIANCES:

Appearance : Cementitious Grey Powder
Setting time : 3 – 5 minutes
Compressive strength at 1 hour: 70 Kg / cm²

PRIMARY APPLICATIONS:

- Basements
- Ducts in tunnels
- Dams
- Concrete pipes
- Water retaining structures
- RCC water tanks

PRODUCT FEATURES:

Easy to use - just add water on site. The product is Pre packed in controlled conditions for consistency in quality.
Crack sealer - Effective crack sealer in concrete and masonry surfaces.
High early and final Strength.
Instant hardening.



KEM PLUG

Leak plugging compound

PRODUCT FEATURES:

Easy to use - just add water on site. The product is pre-packed in controlled conditions for consistency in quality.

Crack sealer - Effective crack sealer in concrete and masonry surfaces.

High early and final Strength.

Instant hardening.

APPLICATION METHOD:

1. Before application of Kem plug the exact source of leakage should be identified.
2. Kem plug (dry) is to be applied exactly in to the source of leakage and press with the hand.
3. The dry powder gets wet due to the leak and gets harden within 3 – 5 minutes.

STORAGE:

Store in a cool and dry place away from moisture and direct sunlight. Opened pouch must be closed immediately after use.

PACKAGING:

1 kg moisture resistant pouch

SHELF LIFE:

1 year in original un-opened pouch in dry condition

TECHNICAL SERVICE:

Chembond has established itself in various fields on the basis of its dependable technical service. For this purpose, we maintain a well equipped laboratory for research & quality assurance of all products. Our experienced personnel are always on call and would always be available for product demonstrations and product performance monitoring.

SAFETY PRECAUTIONS:

KEM Plug is cementitious alkaline product; care should be taken to avoid contact with eyes, skin, and mouth and food stuff. Any splashes on the human body must be washed with plenty of water

Page 3 of 3

Chembond Chemicals Limited

Chembond Centre, EL-71, MIDC,
Mahape, Navi Mumbai, India – 400 710,
Tel.: +91 22 66143 000, Fax: +91 22 768 1294
Website: www.chembondconschem.com
E-mail: sales@chembondconschem.com

Limitations of Liability: This information is based on our current level of knowledge. It is given in a good faith but it is not intended to guarantee any particular properties. The users must satisfy themselves that there are no circumstances requiring additional information or precautions or the verification of details given herein.
