



TECHNICAL DATA SHEET

KEM PRIMER

Primer for Polysulphide sealant

DESCRIPTION:

Kem Primer is a low viscosity primer specially developed product to enhance the bonding of Polysulphide sealants.

PRODUCT SPECIFICATION / COMPLIANCES:

- Nature: Single component.
- Appearance: Colorless to pale yellow.
- Specific gravity : 0.8 +/- 0.02
- Coating intervals: 20 – 30 minutes.
- Sealant application time : 30 – 40 minutes after application of primer
- Coats required: 2 coats.

PRIMARY APPLICATIONS:

- § Concrete surfaces.
- § Porous stones
- § Wood
- § Asbestos
- § Bricks

PRODUCT FEATURES:

- Kem primer is a single component.
- Easily applicable by brush.
- Fast recoat time.
- Provides bonding of sealants with substrates.
- Good resistance to UV rays and weathering conditions



KEM PRIMER

Primer for Polysulphide sealant

METHODS OF APPLICATION:

Clean the surface free from loose material, oil grease etc.

- Clean the surfaces by wire brushing, shot blasting if required, finally vacuum clean all the loose solid and liquid.
- Use paint brush for the application.

PRECAUTIONS AND LIMITATIONS:

- Do not thin the primer with solvents.
- Prepare the substrate as said in the method of application.
- Use protective clothing, gloves and safety goggles.
- Store the material in the original unopened containers in cool and dry place.

PACKAGING:

500 ml containers

COVERAGE:

Coverage: 50 – 60 sq.ft. / litre / coat

SHELF LIFE:

One year in original un opened container.

TECHNICAL SERVICE:

Chembond has established itself in various fields on the basis of its dependable technical service. For this purpose, we maintain a well equipped laboratory for research & quality assurance of all products. Our experienced personnel are always on call and would always be available for product demonstrations and product performance monitoring.

SAFETY PRECAUTIONS:

KEM PRIMER is solvent based and flammable. Keep away from naked flame. Avoid contact with Skin, eyes and food stuff. Any splashes on the human body must be washed with plenty of water and soap, seek medical advice in case of ingestion.

Page 3 of 3

Chembond Chemicals Limited

Chembond Centre, EL-71, MIDC,
Mahape, Navi Mumbai, India – 400 710,
Tel.: +91 22 66143 000, Fax: +91 22 768 1294
Website: www.chembondconschem.com
E-mail: sales@chembondconschem.com

Limitations of Liability: This information is based on our current level of knowledge. It is given in a good faith but it is not intended to guarantee any particular properties. The users must satisfy themselves that there are no circumstances requiring additional information or precautions or the verification of details given herein.
