



KEM TILE GROUT

Waterproofing joint filler for tiles

DESCRIPTION: Kem tile grout is a premixed cementitious powder, containing well-graded fillers and specialty chemical additives to perform waterproofing. When mixed with the right quantity of water on site, the product is ready to apply on the tile joints.

PRODUCT SPECIFICATION / COMPLIANCES:

Appearance	: Cementitious (shaded) powder
Mix ratio	: 1part water: 2.5 parts Kem tile grout (by pbw)
Coverage	: depends on the tile size and the joint width

PRIMARY APPLICATIONS:

- It is used in all indoor and outdoor tiling joints.
- Suitable on swimming pools and underground water tanks.

PRODUCT FEATURES:

Easy to use - just add water on site. The product is well packed in controlled conditions for consistency in quality.

Excellent adhesion - with all types of tiles.

Non Shrinking - Occupies the filled space permanently without shrinking.

UV resistance – Suitable for outdoor applications.

Impermeable joints – Forms impermeable joints.



KEM TILE GROUT

Waterproofing joint filler for tiles

APPLICATION METHOD:

Kem tile grout is a ready to use dry powder. Only addition of water is required as per the mix ratio to make it a thixotropic paste form.

- 1 Remove the spacer fixed between the tiles and clean up the entire pocket thoroughly.
- 2 Start filling the tile grout between the joints thoroughly.

COVERAGE: Depends on the tile size and joint width.

STORAGE: Store in a cool and dry place away from moisture and direct sunlight. Open bags must be closed immediately after use.

PACKAGING: 1 kg & 500 g

SHELF LIFE: 1 year if stored in its original pack.

TECHNICAL SERVICE:

Chembond has established itself in various fields on the basis of its dependable technical service. For this purpose, we maintain a well equipped laboratory for research & quality assurance of all products. Our experienced personnel are always on call and would always be available for product demonstrations and product performance monitoring.

SAFETY PRECAUTIONS:

KEM TILE GROUT cementitious alkaline product; care should be taken to avoid contact with eyes, skin, mouth and food stuff. Any splashes on the human body must be washed with plenty of water

Page 3 of 3

Chembond Chemicals Limited

Chembond Centre, EL-71, MIDC,
Mahape, Navi Mumbai, India – 400 710,
Tel.: +91 22 66143 000, Fax: +91 22 768 1294
Website: www.chembondconschem.com
E-mail: sales@chembondconschem.com

Limitations of Liability: This information is based on our current level of knowledge. It is given in a good faith but it is not intended to guarantee any particular properties. The users must satisfy themselves that there are no circumstances requiring additional information or precautions or the verification of details given herein.
