



TECHNICAL DATA SHEET

KEM TILE AID

Multi Purpose Polymeric Tile Adhesive

DESCRIPTION:

KEM Tile Aid is a multi purpose polymeric tile adhesive for interior and exterior fixings of ceramics, marbles, and decorative claddings. It is a gray cementitious powder with synthetic additives formulated as a high performance fixing adhesive for a wide range of heavy duty applications to surfaces that may be subjected to extreme weather conditions.

PRODUCT SPECIFICATION / COMPLIANCES:

KEM Tile Aid meets/exceeds the requirement as per BS-5980 Type 2, Class-AA and BS 5385 Part-I, Appendix-A.

Colour : Grey Powder

Bulk Density :

Shelf life : 12 months in the original un-opened packing.

Storage : Keep it in a cool and dry place.

PRIMARY APPLICATIONS:

-
-

PRODUCT FEATURES:

- High adhesive bond strength
 - Interior or exterior use
 - Water resistant, hence it gives absolute protection against seepage through wall, especially recommended for swimming pools, bath rooms, fountains, wet storage vessels, etc.
 - Non shrinking.
 - Economical and easy to use, as tiles do not require soaking before fixing, no curing necessary, slow initial setting time hence long open time.
 - Adaptability to new tiling techniques.
-



TECHNICAL DATA SHEET

KEM TILE AID

Multi Purpose Polymeric Tile Adhesive

DOSAGE:

Add water to the powder in the proportion of approximately 1 part of water to about 2 ½ - 3 parts of powder by volume. Mix it thoroughly to desired consistency. 4 kg of KEM Tile Aid cover about 1 sq.m. when applied in 3 mm thickness. Application can be done directly to the surface or the back of the tile.

TECHNICAL SERVICE:

Chembond has established itself in various fields on the basis of its dependable technical service. For this purpose, we maintain a well equipped laboratory for research & quality assurance of all products. Our experienced personnel are always on call and would always be available for product demonstrations and product performance monitoring.

SAFETY PRECAUTIONS:

KEM TILE AID is alkaline in nature. Prolonged contact with skin may cause some irritation. Care should be taken to avoid inhalation or ingestion of dust and prevent contact with the eyes.

Chembond Chemicals Limited

Chembond Centre, EL-71, MIDC,
Mahape, Navi Mumbai, India – 400 710,
Tel.: +91 22 66143 000 , Fax: +91 22 768 1294
website: www.chembondconschem.com
e-mail: sales@chembondconschem.com

Limitations of Liability: This information is based on our current level of knowledge. It is given in a good faith but it is not intended to guarantee any particular properties. The users must satisfy themselves that there are no circumstances requiring additional information or precautions or the verification of details given herein.

